

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/943,243	08/30/2001	Rolland F. Hebert		9377	
29133 75	590 07/29/2003				
ROLLAND HEBERT 427 BELLEVUE AVE E. SUITE 301			EXAMINER		
SEATTLE, WA			YOUNG, JOSEPHINE		
			ART UNIT	PAPER NUMBER	
			1623		
			DATE MAILED: 07/29/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PEPARTMENT OF COMMERCE U.S. Patent and Telemark Office

DATE MAILED:

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO.J CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION			ATTORNEY DOCKET NO.
09/943, 243	08/30/2001	HEBERT,	Rolland	F.	
				EXAMINER	
				J-70UNG	
				ART UNIT	PAPER
				1623	7

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See Attached Sheets.

Application/Control Number: 09/943,243

Art Unit: 1623

The amendment to claims 4 and 8-13 filed on June 19, 2003, does not comply with the requirements of 37 CFR 1.121(c) because the parenthetical remark "cancelled" is followed by the text of the previously presented claim. Therefore, it is unclear as to whether Applicant intended to cancell said claims. Canceled and withdrawn claims should be indicated by only the claim number and status.

Further, the amendment to the specification filed on June 19, 2003, does not comply with the requirements of 37 CFR 1.125 because the particular paragraph to be amended is not distinctly pointed out using line numbers. If a substitute specification is being submitted to incorporate extensive amendments, both a clean version (which will be entered) and a marked up version must be submitted as per 37 CFR 1.125.

Therefore, the amendment to the claims and specification has not been entered.

Amendments to the claims filed on or after June 30, 2003 must comply with the revised 37 CFR 1.121(c). 37 CFR 1.121 has been revised to no longer require two versions (a clean version and a marked up version) of each replacement paragraph or section, or amended claim. Note, however, the requirements for a clean version and a marked up version for substitute specifications under 37 CFR 1.125 have been retained.

A) Amendments to the claims:

Each amendment document that includes a change to an existing claim, or submission of a new claim, must include a complete listing of all claims in the application. After each claim number, the status must be indicated in a parenthetical expression, and the text of each claim under examination (with markings to show current changes) must be presented. The listing will serve to replace all prior versions of the claims in the application.

Application/Control Number: 09/943,243

Art Unit: 1623

(1) The current status of all of the claims in the application, including any previously canceled or withdrawn claims, must be given. Status is indicated in a parenthetical expression following the claim number by one of the following: (original), (currently amended), (previously amended), (canceled), (withdrawn), (new), (previously added), (reinstated – formerly claim #_), (previously reinstated), (re-presented – formerly dependent claim #_), or (previously re-presented). The text of all pending claims under examination must be submitted each time any claim is amended. Canceled and withdrawn claims should be indicated by only the claim number and status.

- (2) All claims being currently amended must be presented with markings to indicate the changes that have been made relative to the immediate prior version. The changes in any amended claim should be shown by strikethrough (for deleted matter) or underlining (for added matter). An accompanying clean version is not required and should not be presented. Only claims of the status "currently amended" will include markings.
- (3) The text of pending claims <u>not being amended</u> must be presented in clean version, i.e., without any markings. Any claim text presented in clean version will constitute an assertion that it has not been changed relative to the immediate prior version.

B) Amendments to the specification:

Amendments to the specification must be made by presenting a replacement paragraph or section marked up to show changes made relative to the immediate prior version. An accompanying clean version is not required and should not be presented. If a substitute specification is being submitted to incorporate extensive amendments, both a clean version (which will be entered) and a marked up version must be submitted as per current 37 CFR 1.125.

Since the reply filed on June 19, 2003, appears to be *bona fide*, applicant is given a TIME PERIOD of **ONE** (1) **MONTH** or **THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to submit an amendment in compliance with 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Josephine Young whose telephone number is (703) 605-1201. The examiner can normally be reached on Monday through Friday, 9:00 a.m. to 6:00 p.m.

Application/Control Number: 09/943,243

Art Unit: 1623

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson can be reached at (703) 308-4624. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3014 for regular communications and (703) 872-9307 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1235.

JY July 25, 2003

JAMES O. WILSON

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600